

HD-SDI Series

Model Number AHD8120-2000 thru 6000GB

- Features
- HD-SDI Analog DVR
 - 8 Channel inputs
 - HDMI Monitor output @ 1080P*
 - VGA Monitor
 - 1080P Images
 - H.264 Compression
 - Supports I Pad and I Phone
 - HD over Coax
 - USB Backup
 - Rack Mount



Mouse Support



Specifications

Channels	8 Analog Camera Inputs
Audio	8 Channel
Display fps	240fps
Resolution	720P and 1080P
Record fps	120fps @ 1080P image quality
Network	RJ45 Ethernet Connection
Operating System	Linux
Warranty	2 year manufacturing
Power	120v AC UPS recommended
Monitor	HDMI, VGA
Input option	75ohm, BNC
HDD Capacity	Maximum of 6 Terabytes
Remote View	IE, I Pad, I Phone, Droid, Windows XP, Vista, 7, 3GPP
Case Options	Full Size Rack Mount Chassis
Camera type	HD-SDI
Storage	2000, 3000, 6000 GB HDD
Bit-rate	Variable
DDNS	<i>One Touch DNS server support with auto-configure</i>
License Plate	Under 15 MPH with lane control, correct camera and low camera angle
Central Monitoring	CMS platform
Motion Detection	Yes
Record Triggers	Motion/Alarm/Sensor/Continuous/Schedule
Data Lifetime	Programmable Storage History
Data Capture	N/A
Remote Notification	Email
Display options	1,4,8

Recommendations

Today's video systems have made great strides forward in image resolution. The HD-SDI product line is one example of how technology has allowed us to offer superior image quality. This technology takes advantage of the existing infrastructure of a legacy analog system and allows an image quality solution of 2.2 megapixels or 1080P resolution. This is the highest available resolution on the market today to utilize conventional wiring of a legacy CCTV system. Expect superior image quality to any other analog video system you have experienced. This Video Recording appliance offers all the latest drivers and software applications to support I pad, I phone, Android and Central Monitoring needs. Due to its ability to dual stream we can support full 1080P resolution images on site while supporting remote live images at a lower resolution to work with today's existing Internet Service Providers. This is a stable, robust, high resolution, imaging appliance capable of supporting the most demanding video requirements for both Public and Private installations.