

Speed Dome Camera Installation Accessories



DynaHawk™ Installation Accessories

The DynaHawk™ series speed dome cameras offer a wide range of accessories to facilitate all surveillance installations, including various indoor and outdoor mountings, special optical covers to match and complement the surroundings, and power supplies for different voltage requirements.

The DynaHawk™ series speed dome cameras are designed with various mounting options. Users can select the most suitable accessories to complete the installation depending on the camera mounting requirements. With various types and sizes of accessories, users can mount the cameras in virtually any environment.

Indoor Dome Camera Accessories

Transparent / Vandal Proof Cover

4.3" Optical Cover
Diameter: 109 mm (4.3 inches)
Compatible with: DH500



5.4" Optical Cover
Diameter: 137 mm (5.4 inches)
Compatible with: DH701



Smoke Cover

5.4" Smoke Cover
Diameter: 137 mm (5.4 inches)
Compatible with: DH701



Power Adapter

D77H07-A1015
Input: 100 ~ 115 VAC / Output: 24 VAC, 36 VA

D77H07-A2015
Input: 220 ~ 230 VAC / Output: 24 VAC, 36 VA




Connector Box

The D77H07-C00 connector box provides easy wiring and well organized connection between alarms, cameras and other devices, for easy installation.

Dimensions: 92 x 42 mm (3.7 x 1.7 inches)
Weight: 0.13 kg (0.3 lbs)



System Configuration



Outdoor Dome Camera Accessories

Transparent / Vandal Proof Cover

5.4" Optical Cover
Diameter: 137 mm (5.4 inches)
Compatible with: DH600



5.8" Optical Cover
Diameter: 147 mm (5.8 inches)
Compatible with: DH801+



Smoke Cover

5.4" Smoke Cover
Diameter: 137 mm (5.4 inches)
Compatible with: DH600



5.8" Smoke Cover
Diameter: 147 mm (5.8 inches)
Compatible with: DH801+



Power Adapter

D77H07-A1030
Input: 100 ~ 115 VAC / Output: 24 VAC, 72 VA

D77H07-A2030
Input: 220 ~ 230 VAC / Output: 24 VAC, 72 VA



Sunshield

Height: 89.9 mm (3.5 inches)
Diameter: 190 mm (7.5 inches)
Compatible with: DH600



Height: 129.5 mm (5.0 inches)
Diameter: 190 mm (7.5 inches)
Compatible with: DH801+



Power Box

The D77H07 is a weatherproof power supply, with integrated connection for communication, alarm, and video, designed for outdoor applications with the DynaHawk™ 801+ and DynaHawk™ 600 series speed dome cameras, providing water resistant protection. The unit has one fused output and can handle a total load of 72 VA.

Dimensions: 186.5 x 147 mm (7.3 x 5.8 inches)
Weight: 2.6 kg (5.8 lbs)
D77H07-P1030 (Input: 110 ~ 115 VAC / Output: 24 VAC, 72 VA)
D77H07-P2030 (Input: 220 ~ 230 VAC / Output: 24 VAC, 72 VA)



Indoor Mounting Accessories


There are three types of Indoor dome camera mounting methods: hard-ceiling mounting, in-ceiling (T-Bar Mount) mounting and pendent mounting. With the Indoor Mount Kit, the DynaHawk™ 701 series will be able to apply to all other dome camera mounting accessories, such as straight tube, wall mount, corner mount and pole mount.



Hard Ceiling Mount: DH701

DH77H06-HC

Height: 21.4 mm (0.8 inches)
Diameter of the three holes: 4.5 mm (0.2 inches)
Diameter of the bracket: 158 mm (6.2 inches)
Weight: 0.2 kg (0.4 lbs)




Units: (mm)

Hard Ceiling Mount: DH500

DH500HC

Height: 19 mm (0.75 inches)
Diameter of the three holes: 4.5 mm (0.2 inches)
Diameter of the bracket: 158 mm (6.2 inches)
Weight: 0.2 kg (0.4 lbs)




Units: (mm)

T-Bar (in-ceiling) Mount: DH701

D77H06-TB

Height: 160 mm (6.3 inches)
Diameter: 180 mm (7.1 inches)
Weight: 0.5 kg (1.1 lbs)




Units: (mm)

T-Bar (in-ceiling) Mount: DH500

DH500TB1

Height: 85 mm (3.4 inches)
Diameter: 180 mm (7.1 inches)
Weight: 0.5 kg (1.1 lbs)




Units: (mm)

Indoor Mount Kit: DH701

D77H05-IMK

For mounting indoor dome camera onto a gooseneck / straight tube.
Height: 74 mm (2.9 inches)
Diameter: 140 mm (5.5 inches)
Weight: 0.5 kg (1.1 lbs)




Units: (mm)

Indoor Mount Kit: DH500

D77H05-IMK5

For mounting indoor dome camera onto a gooseneck / straight tube.
Height: 74 mm (2.9 inches)
Diameter: 140 mm (5.5 inches)
Weight: 0.5 kg (1.1 lbs)




Units: (mm)

Indoor / Outdoor Mounting Accessories

Straight Tube

D77H03-ST1 / ST2


Height: 250 / 500 mm (9.8 / 19.7 inches)
 Diameter: 50 mm (2 inches)
 Weight: 1 kg / 1.8 kg (2.2 lbs / 4 lbs)
 Compatible with: DH701 / DH801⁺ / DH500 / DH600



Gooseneck Tube

D77H03-GT


Dimensions: 298 x 385 mm (11.7 x 15.2 inches)
 Diameter: 92 x 42 mm (3.7 x 1.7 inches)
 Weight: 2.1 kg (4.6 lbs)
 Compatible with: DH701 / DH801⁺ / DH500 / DH600



Mini Pendant Mount

D77H03-MP


Dimensions: 184 x 104 x 115.2 mm (7.2 x 4.1 x 4.5 inches)
 Diameter: 44.5 mm (1.8 inches)
 Weight: 0.6 kg (1.3 lbs)
 Compatible with: DH701 / DH801⁺ / DH500 / DH600



Wall Box Mounting

D77H05-WBM


Dimensions: 270 x 166 x 95 mm (10.6 x 6.5 x 3.7 inches)
 Weight: 2.2 kg (4.8 lbs)
 Compatible with: D77H03-GT / D77H03-MP



Corner Standard Mounting Plate

D77H05-CST


Dimensions: 222 x 204 x 117 mm (8.7 x 8 x 4.6 inches)
 Weight: 2 kg (4.4 lbs)
 Compatible with: D77H03-GT / D77H03-MP



Corner Plate Mini

D77H05-CSTM


Dimensions: 270 x 166 x 95 mm (10.6 x 6.5 x 3.7 inches)
 Weight: 0.8 kg (1.8 lbs)
 Compatible with: D77H03-MP



Corner Wide Box Mounting

D77H05-CWB


Dimensions: 232 x 234 x 205 mm (9.1 x 9.2 x 8.1 inches)
 Weight: 2.7 kg (6 lbs)
 Compatible with: D77H03-GT / D77H03-MP



Corner Thin Box Mounting

D77H05-CTB


Dimensions: 300 x 164 x 254 mm (11.8 x 6.5 x 10 inches)
 Weight: 3 kg (6.7 lbs)
 Compatible with: D77H03-GT / D77H03-MP



Pole Wide Direct Mounting

D77H05-PWD


Dimensions: 270 x 170 x 60 mm (10.6 x 6.7 x 2.4 inches)
 Recommend Pole Diameter: 112 ~ 130 mm (4.4 ~ 5.1 inches)
 Weight: 1 kg (2.2 lbs)
 Compatible with: D77H03-GT / D77H03-MP



Pole Thin Direct Mounting

D77H05-PTD


Dimensions: 232 x 136 x 50 mm (9.1 x 5.4 x 2 inches)
 Recommend Pole Diameter: 112 ~ 140 mm (4.4 ~ 5.5 inches)
 Weight: 0.7 kg (1.6 lbs)
 Compatible with: D77H03-GT / D77H03-MP



Pole Wide Box Mounting

D77H05-PWB

Dimensions: 270 x 166 x 155 mm (10.6 x 6.5 x 6.1 inches)
 Recommend Pole Diameter: 112 ~ 140 mm (4.4 ~ 5.5 inches)
 Weight: 3.2 kg (7.1 lbs)
 Compatible with: D77H03-GT / D77H03-MP



Pole Thin Box Mounting

D77H05-PTB

Dimensions: 291 x 136 x 242 mm (11.5 x 5.4 x 9.5 inches)
 Recommend Pole Diameter: 112 ~ 130 mm (4.4 ~ 5.1 inches)
 Weight: 3.1 kg (6.9 lbs)
 Compatible with: D77H03-GT / D77H03-MP

